


Calibration Results Table - mero gramy na litr

Index	Spectrum Title	Usage	Actual	Calculated
1	01_Average of 3 spectra 0%	0	0,0000	0,0020
2	02_Average of 3 spectra 3,2%	0	28,2690	27,6632
3	03_Average of 3 spectra 3,5%	0	30,8910	30,1385
4	04_Average of 3 spectra 4%	0	35,2940	35,0046
5	05_Average of 3 spectra 4,5%	0	39,7020	39,6768
6	06_Average of 3 spectra 5%	0	44,1390	43,8776
7	07_Average of 3 spectra 5,5%	0	48,4650	48,4311
8	08_Average of 3 spectra 6%	0	53,0010	53,3191
9	09_Average of 3 spectra 6,5%	0	57,4320	57,8671
10	10_Average of 3 spectra 7%	0	61,9110	62,2811

Index	Spectrum Title	Usage	Measurement	Diff. x Path
1	01_Average of 3 spectra 0%	0	0,0000	0,0020
2	02_Average of 3 spectra 3,2%	0	0,5360	-0,6058
3	03_Average of 3 spectra 3,5%	0	0,5840	-0,7525
4	04_Average of 3 spectra 4%	0	0,6783	-0,2894
5	05_Average of 3 spectra 4,5%	0	0,7688	-0,0252
6	06_Average of 3 spectra 5%	0	0,8502	-0,2614
7	07_Average of 3 spectra 5,5%	0	0,9384	-0,0339
8	08_Average of 3 spectra 6%	0	1,0331	0,3181
9	09_Average of 3 spectra 6,5%	0	1,1212	0,4351
10	10_Average of 3 spectra 7%	0	1,2068	0,3701



Calibration Results Table - mero procenta

Index	Spectrum Title	Usage	Actual	Calculated
1	01_Average of 3 spectra 0%	0	0,0000	0,0002
2	02_Average of 3 spectra 3,2%	0	3,2015	3,1329
3	03_Average of 3 spectra 3,5%	0	3,4984	3,4132
4	04_Average of 3 spectra 4%	0	3,9971	3,9643
5	05_Average of 3 spectra 4,5%	0	4,4963	4,4934
6	06_Average of 3 spectra 5%	0	4,9988	4,9692
7	07_Average of 3 spectra 5,5%	0	5,4887	5,4849
8	08_Average of 3 spectra 6%	0	6,0024	6,0384
9	09_Average of 3 spectra 6,5%	0	6,5042	6,5535
10	10_Average of 3 spectra 7%	0	7,0114	7,0534

Index	Spectrum Title	Usage	Measurement	Diff. x Path
1	01_Average of 3 spectra 0%	0	0,0000	0,0002
2	02_Average of 3 spectra 3,2%	0	0,5360	-0,0686
3	03_Average of 3 spectra 3,5%	0	0,5840	-0,0852
4	04_Average of 3 spectra 4%	0	0,6783	-0,0328
5	05_Average of 3 spectra 4,5%	0	0,7688	-0,0029
6	06_Average of 3 spectra 5%	0	0,8502	-0,0296
7	07_Average of 3 spectra 5,5%	0	0,9384	-0,0038
8	08_Average of 3 spectra 6%	0	1,0331	0,0360
9	09_Average of 3 spectra 6,5%	0	1,1212	0,0493
10	10_Average of 3 spectra 7%	0	1,2068	0,0420