


Calibration Results Table - mero gramy na litr

Index	Spectrum Title	Usage	Actual	Calculated
1	01_Average of 3 spectra 0%	0	0,0000	0,0020
2	02_Average of 3 spectra 3,2%	0	28,2690	27,6369
3	03_Average of 3 spectra 3,5%	0	30,8910	30,0994
4	04_Average of 3 spectra 4%	0	35,2940	34,9842
5	05_Average of 3 spectra 4,5%	0	39,7020	39,6745
6	06_Average of 3 spectra 5%	0	44,1390	43,8476
7	07_Average of 3 spectra 5,5%	0	48,4650	48,4263
8	08_Average of 3 spectra 6%	0	53,0010	53,3753
9	09_Average of 3 spectra 6,5%	0	57,4320	57,9605
10	10_Average of 3 spectra 7%	0	61,9110	62,3765

Index	Spectrum Title	Usage	Measurement	Diff. x Path
1	01_Average of 3 spectra 0%	0	0,0000	0,0020
2	02_Average of 3 spectra 3,2%	0	0,5360	-0,6321
3	03_Average of 3 spectra 3,5%	0	0,5840	-0,7916
4	04_Average of 3 spectra 4%	0	0,6783	-0,3098
5	05_Average of 3 spectra 4,5%	0	0,7688	-0,0275
6	06_Average of 3 spectra 5%	0	0,8502	-0,2914
7	07_Average of 3 spectra 5,5%	0	0,9384	-0,0387
8	08_Average of 3 spectra 6%	0	1,0331	0,3743
9	09_Average of 3 spectra 6,5%	0	1,1212	0,5285
10	10_Average of 3 spectra 7%	0	1,2068	0,4655



Calibration Results Table - mero procenta

Index	Spectrum Title	Usage	Actual	Calculated
1	01_Average of 3 spectra 0%	0	0,0000	0,0002
2	02_Average of 3 spectra 3,2%	0	3,2015	3,1299
3	03_Average of 3 spectra 3,5%	0	3,4984	3,4088
4	04_Average of 3 spectra 4%	0	3,9971	3,9620
5	05_Average of 3 spectra 4,5%	0	4,4963	4,4932
6	06_Average of 3 spectra 5%	0	4,9988	4,9658
7	07_Average of 3 spectra 5,5%	0	5,4887	5,4843
8	08_Average of 3 spectra 6%	0	6,0024	6,0448
9	09_Average of 3 spectra 6,5%	0	6,5042	6,5641
10	10_Average of 3 spectra 7%	0	7,0114	7,0642

Index	Spectrum Title	Usage	Measurement	Diff. x Path
1	01_Average of 3 spectra 0%	0	0,0000	0,0002
2	02_Average of 3 spectra 3,2%	0	0,5360	-0,0716
3	03_Average of 3 spectra 3,5%	0	0,5840	-0,0896
4	04_Average of 3 spectra 4%	0	0,6783	-0,0351
5	05_Average of 3 spectra 4,5%	0	0,7688	-0,0031
6	06_Average of 3 spectra 5%	0	0,8502	-0,0330
7	07_Average of 3 spectra 5,5%	0	0,9384	-0,0044
8	08_Average of 3 spectra 6%	0	1,0331	0,0424
9	09_Average of 3 spectra 6,5%	0	1,1212	0,0599
10	10_Average of 3 spectra 7%	0	1,2068	0,0528